

What Chemicals Are Used For Fracking

From the FracFocus website: www.fracfocus.org

As previously noted, chemicals perform many functions in a hydraulic fracturing job. Although there are dozens to hundreds of chemicals which could be used as additives, there are a limited number which are routinely used in hydraulic fracturing. The following is a list of the chemicals used most often. This chart is sorted alphabetically by the Product Function to make it easier for you to compare to the fracturing records .

<u>Chemical Name</u>	<u>CAS</u>	<u>Chemical Purpose</u>	<u>Product Function</u>
Hydrochloric Acid	007647-01-0	Helps dissolve minerals and initiate cracks in the rock	Acid
Glutaraldehyde	000111-30-8	Eliminates bacteria in the water that produces corrosive by-products	Biocide
Quaternary Ammonium Chloride	012125-02-9	Eliminates bacteria in the water that produces corrosive by-products	Biocide
Quaternary Ammonium Chloride	061789-71-1	Eliminates bacteria in the water that produces corrosive by-products	Biocide
TetrakisHydroxymethyl-Phosphonium Sulfate	055566-30-8	Eliminates bacteria in the water that produces corrosive by-products	Biocide
Ammonium Persulfate	007727-54-0	Allows a delayed break down of the gel	Breaker
Sodium Chloride	007647-14-5	Product Stabilizer	Breaker
Magnesium Peroxide	014452-57-4	Allows a delayed break down the gel	Breaker
Magnesium Oxide	001309-48-4	Allows a delayed break down the gel	Breaker
Calcium Chloride	010043-52-4	Product Stabilizer	Breaker

Choline Chloride	000067-48-1	Prevents clays from swelling or shifting	Clay Stabilizer
Tetramethyl ammonium chloride	000075-57-0	Prevents clays from swelling or shifting	Clay Stabilizer
Sodium Chloride	007647-14-5	Prevents clays from swelling or shifting	Clay Stabilizer
Isopropanol	000067-63-0	Product stabilizer and / or winterizing agent	Corrosion Inhibitor
Methanol	000067-56-1	Product stabilizer and / or winterizing agent	Corrosion Inhibitor
Formic Acid	000064-18-6	Prevents the corrosion of the pipe	Corrosion Inhibitor
Acetaldehyde	000075-07-0	Prevents the corrosion of the pipe	Corrosion Inhibitor
Petroleum Distillate	064741-85-1	Carrier fluid for borate or zirconate crosslinker	Crosslinker
Hydrotreated Light Petroleum Distillate	064742-47-8	Carrier fluid for borate or zirconate crosslinker	Crosslinker
Potassium Metaborate	013709-94-9	Maintains fluid viscosity as temperature increases	Crosslinker
Triethanolamine Zirconate	101033-44-7	Maintains fluid viscosity as temperature increases	Crosslinker
Sodium Tetraborate	001303-96-4	Maintains fluid viscosity as temperature increases	Crosslinker
Boric Acid	001333-	Maintains fluid viscosity as temperature	Crosslinker

	73-9	increases	
Zirconium Complex	113184-20-6	Maintains fluid viscosity as temperature increases	Crosslinker
Borate Salts	N/A	Maintains fluid viscosity as temperature increases	Crosslinker
Ethylene Glycol	000107-21-1	Product stabilizer and / or winterizing agent.	Crosslinker
Methanol	000067-56-1	Product stabilizer and / or winterizing agent.	Crosslinker
Polyacrylamide	009003-05-8	"Slicks" the water to minimize friction	Friction Reducer
Petroleum Distillate	064741-85-1	Carrier fluid for polyacrylamide friction reducer	Friction Reducer
Hydrotreated Light Petroleum Distillate	064742-47-8	Carrier fluid for polyacrylamide friction reducer	Friction Reducer
Methanol	000067-56-1	Product stabilizer and / or winterizing agent.	Friction Reducer
Ethylene Glycol	000107-21-1	Product stabilizer and / or winterizing agent.	Friction Reducer
Guar Gum	009000-30-0	Thickens the water in order to suspend the sand	Gelling Agent
Petroleum Distillate	064741-85-1	Carrier fluid for guar gum in liquid gels	Gelling Agent
Hydrotreated Light Petroleum Distillate	064742-47-8	Carrier fluid for guar gum in liquid gels	Gelling Agent
Methanol	000067-	Product stabilizer and / or winterizing	Gelling Agent

	56-1	agent.	
Polysaccharide Blend	068130-15-4	Thickens the water in order to suspend the sand	Gelling Agent
Ethylene Glycol	000107-21-1	Product stabilizer and / or winterizing agent.	Gelling Agent
Citric Acid	000077-92-9	Prevents precipitation of metal oxides	Iron Control
Acetic Acid	000064-19-7	Prevents precipitation of metal oxides	Iron Control
Thioglycolic Acid	000068-11-1	Prevents precipitation of metal oxides	Iron Control
Sodium Erythorbate	006381-77-7	Prevents precipitation of metal oxides	Iron Control
Lauryl Sulfate	000151-21-3	Used to prevent the formation of emulsions in the fracture fluid	Non-Emulsifier
Isopropanol	000067-63-0	Product stabilizer and / or winterizing agent.	Non-Emulsifier
Ethylene Glycol	000107-21-1	Product stabilizer and / or winterizing agent.	Non-Emulsifier
Sodium Hydroxide	001310-73-2	Adjusts the pH of fluid to maintains the effectiveness of other components, such as crosslinkers	pH Adjusting Agent
Potassium Hydroxide	001310-58-3	Adjusts the pH of fluid to maintains the effectiveness of other components, such as crosslinkers	pH Adjusting Agent

Acetic Acid	000064-19-7	Adjusts the pH of fluid to maintains the effectiveness of other components, such as crosslinkers	pH Adjusting Agent
Sodium Carbonate	000497-19-8	Adjusts the pH of fluid to maintains the effectiveness of other components, such as crosslinkers	pH Adjusting Agent
Potassium Carbonate	000584-08-7	Adjusts the pH of fluid to maintains the effectiveness of other components, such as crosslinkers	pH Adjusting Agent
Copolymer of Acrylamide and Sodium Acrylate	025987-30-8	Prevents scale deposits in the pipe	Scale Inhibitor
Sodium Polycarboxylate	N/A	Prevents scale deposits in the pipe	Scale Inhibitor
Phosphonic Acid Salt	N/A	Prevents scale deposits in the pipe	Scale Inhibitor
Lauryl Sulfate	000151-21-3	Used to increase the viscosity of the fracture fluid	Surfactant
Ethanol	000064-17-5	Product stabilizer and / or winterizing agent.	Surfactant
Naphthalene	000091-20-3	Carrier fluid for the active surfactant ingredients	Surfactant
Methanol	000067-56-1	Product stabilizer and / or winterizing agent.	Surfactant
Isopropyl Alcohol	000067-63-0	Product stabilizer and / or winterizing agent.	Surfactant
2-Butoxyethanol	000111-76-2	Product stabilizer	Surfactant

One of the problems associated with identifying chemicals is that some chemicals have multiple names. For example Ethylene Glycol (Antifreeze) is also known by the names Ethylene alcohol; Glycol; Glycol alcohol; Lutrol 9; Macrogol 400 BPC; Monoethylene glycol; Ramp; Tescol; 1,2-Dihydroxyethane; 2-

Hydroxyethanol; HOCH₂CH₂OH; Dihydroxyethane; Ethanediol; Ethylene glycol; Glygen; Athylenglykol; Ethane-1,2-diol; Fridex; M.e.g.; 1,2-Ethandiol; Ucar 17; Dowtherm SR 1; Norkool; Zerex; Aliphatic diol; Ilexan E; Ethane-1,2-diol 1,2-Ethanedio.

This multiplicity of names can make a search for chemicals somewhat difficult and frustrating. However, if you search for a chemical by the CAS number it will return the correct chemical even if the name on the fracturing record does not match. For example if the fracturing record listed the chemical Hydrogen chloride and you searched for it by name using a chemical search site you may not get a result. But if you search for CAS # 007647-01-0 it might return Hydrochloric acid which is another name of Hydrogen chloride. Therefore, by using the CAS number you can avoid the issue of multiple names for the same chemical.

Multiple names for the same chemical can also leave you with the impression that there are more chemicals than actually exist. If you search the [National Institute of Standards and Technology \(NIST\)](#) ‡ website the alternate names of chemicals are listed. This may help you identify the precise chemical you are looking for. The NIST site also contains the CAS numbers for chemicals. NIST is only one of many websites you can use to locate additional information about chemicals. You can also search the following websites using the chemical name or CAS number:

[OSHA/EPA Occupational Chemical Database](#) ‡

[The Chemical Database](#) ‡

[EPA Chemical Fact Sheets](#) ‡